



# CINGHIE PER VARIATORI CONTI®V “VARISPEED” “VARISPEED” V-BELTS CONTI®V

## CINGHIE CON ANIMA RESISTENTE RINFORZATA DI POLIESTERE PER VARIATORI DI VELOCITÀ



VARIABLE SPEED BELTS WITH REINFORCED PE TENSILE MEMBER  
FOR VARIOMATIC AND VARIATOR DRIVES

### Proprietà

- › Resistenti a temperature comprese tra -30°C e +90°C in funzione dell'applicazione
- › Elettricamente conduttrici a norma ISO 1813
- › Relativamente resistenti all'olio
- › Utilizzabili in climi tropicali
- › Resistenti alla polvere
- › Idonee per frizioni

### Properties

- › Temperature range from -30 °C to +90 °C, depending on application
- › Electrically conductive in accordance with ISO 1813
- › Conditionally resistant to oil
- › Suitable for tropical climates
- › Dust-proof
- › Suitable for clutches



### DIMENSIONI CINGHIA DIMENSIONS OF V-BELT




| descrizione | Me<br>mm | Mp<br>mm | Mi<br>mm | S<br>mm | α<br>gradi |
|-------------|----------|----------|----------|---------|------------|
| 13/6        | 13       | 12,3     | 10,2     | 6       | 26°        |
| 17/6        | 17       | 16,3     | 14,2     | 6       | 26°        |
| 21/6        | 21       | 20,1     | 18,0     | 6       | 28°        |
| 22/8        | 22       | 21,3     | 18,3     | 8       | 26°        |
| 24/8        | 24       | 23,1     | 20,3     | 8       | 26°        |
| 26/8        | 26       | 25,0     | 22,0     | 8       | 28°        |
| 28/8        | 28       | 27,1     | 24,3     | 8       | 26°        |
| 30/10       | 30       | 28,8     | 25,4     | 10      | 28°        |
| 32/10       | 32       | 31,8     | 27,0     | 10      | 28°        |

| descrizione | Me<br>mm | Mp<br>mm | Mi<br>mm | S<br>mm | α<br>gradi |
|-------------|----------|----------|----------|---------|------------|
| 37/10       | 37       | 35,8     | 32,0     | 10      | 28°        |
| 42/12       | 42       | 40,4     | 36,0     | 12      | 28°        |
| 47/12       | 47       | 45,4     | 41,0     | 12      | 28°        |
| 52/16       | 52       | 49,9     | 43,4     | 16      | 30°        |
| 55/16       | 55       | 53,0     | 47,0     | 16      | 28°        |
| 65/20       | 65       | 62,3     | 54,3     | 20      | 30°        |
| 70/18       | 70       | 67,6     | 60,4     | 18      | 30°        |
| 83/23       | 83       | 79,3     | 69,8     | 23      | 32°        |



# CINGHIE PER VARIATORI CONTI® V “VARISPEED” “VARISPEED” V-BELTS CONTI® V



| descrizione | codice        | sviluppo<br>mm | Kg.   |
|-------------|---------------|----------------|-------|
| *13x6 477   | CVV0130060477 | 477            | 0,050 |
| *13x6 700   | CVV0130060700 | 700            | 0,063 |
| *13x6 727   | CVV0130060727 | 727            | 0,065 |
| *13x6 752   | CVV0130060752 | 752            | 0,068 |
| *13x6 800   | CVV0130060800 | 800            | 0,072 |
| *13x6 852   | CVV0130060852 | 852            | 0,077 |
| *13x6 900   | CVV0130060900 | 900            | 0,081 |
| *13x6 950   | CVV0130060950 | 950            | 0,086 |
| *13x6 1002  | CVV0130061002 | 1002           | 0,090 |
| *13x6 1062  | CVV0130061062 | 1062           | 0,096 |
| *13x6 1122  | CVV0130061122 | 1122           | 0,101 |
| *13x6 1252  | CVV0130061252 | 1252           | 0,113 |

| descrizione | codice        | sviluppo<br>mm | Kg.   |
|-------------|---------------|----------------|-------|
| *17x6 552   | CVV0170060552 | 552            | 0,085 |
| *17x6 702   | CVV0170060702 | 702            | 0,085 |
| *17x6 802   | CVV0170060802 | 802            | 0,097 |
| *17x6 902   | CVV0170060902 | 902            | 0,109 |
| *17x6 1002  | CVV0170061002 | 1002           | 0,121 |
| *17x6 1202  | CVV0170061202 | 1202           | 0,146 |

| descrizione | codice        | sviluppo<br>mm | Kg.   |
|-------------|---------------|----------------|-------|
| *21x6 772   | CVV0210060772 | 772            | 0,117 |
| *21x6 872   | CVV0210060872 | 872            | 0,133 |
| 21x6 972    | CVV0210060972 | 972            | 0,148 |

| descrizione | codice        | sviluppo<br>mm | Kg.   |
|-------------|---------------|----------------|-------|
| 22x8 600    | CVV0220080600 | 600            | 0,140 |
| 22x8 700    | CVV0220080700 | 700            | 0,143 |
| 22x8 725    | CVV0220080725 | 725            | 0,148 |
| 22x8 750    | CVV0220080750 | 750            | 0,154 |
| *22x8 775   | CVV0220080775 | 775            | 0,159 |
| 22x8 800    | CVV0220080800 | 800            | 0,164 |
| 22x8 850    | CVV0220080850 | 850            | 0,174 |
| 22x8 900    | CVV0220080900 | 900            | 0,184 |
| 22x8 950    | CVV0220080950 | 950            | 0,194 |
| *22x8 1000  | CVV0220081000 | 1000           | 0,205 |
| *22x8 1060  | CVV0220081060 | 1060           | 0,217 |
| *22x8 1120  | CVV0220081120 | 1120           | 0,229 |
| *22x8 1180  | CVV0220081180 | 1180           | 0,242 |
| *22x8 1225  | CVV0220081225 | 1225           | 0,251 |
| *22x8 1250  | CVV0220081250 | 1250           | 0,256 |
| *22x8 1320  | CVV0220081320 | 1320           | 0,270 |
| *22x8 1400  | CVV0220081400 | 1400           | 0,287 |
| *22x8 1500  | CVV0220081500 | 1500           | 0,307 |
| *22x8 1800  | CVV0220081800 | 1800           | 0,368 |

| descrizione | codice        | sviluppo<br>mm | Kg.   |
|-------------|---------------|----------------|-------|
| *24x8 1725  | CVV0240081725 | 1725           | 0,388 |
| *24x8 2160  | CVV0240082160 | 2160           | 0,486 |

| descrizione | codice        | sviluppo<br>mm | Kg.   |
|-------------|---------------|----------------|-------|
| *26x8 710   | CVV0260080710 | 710            | 0,173 |
| *26x8 750   | CVV0260080750 | 750            | 0,184 |
| 26x8 762    | CVV0260080762 | 762            | 0,187 |
| *26x8 800   | CVV0260080800 | 800            | 0,196 |
| *26x8 850   | CVV0260080850 | 850            | 0,209 |
| 26x8 862    | CVV0260080862 | 862            | 0,212 |
| *26x8 950   | CVV0260080950 | 950            | 0,233 |
| 26x8 962    | CVV0260080962 | 962            | 0,236 |
| *26x8 1000  | CVV0260081000 | 1000           | 0,244 |
| *26x8 1010  | CVV0260081010 | 1010           | 0,248 |
| *26x8 1060  | CVV0260081060 | 1060           | 0,258 |
| *26x8 1082  | CVV0260081082 | 1082           | 0,266 |
| *26x8 1120  | CVV0260081120 | 1120           | 0,273 |
| *26x8 1180  | CVV0260081180 | 1180           | 0,288 |
| *26x8 1212  | CVV0260081212 | 1212           | 0,297 |
| *26x8 1250  | CVV0260081250 | 1250           | 0,305 |
| *26x8 1400  | CVV0260081400 | 1400           | 0,341 |
| *26x8 1600  | CVV0260081600 | 1600           | 0,390 |


| descrizione | codice        | sviluppo<br>mm | Kg.   |
|-------------|---------------|----------------|-------|
| 28x8 700    | CVV0280080700 | 700            | 0,186 |
| 28x8 750    | CVV0280080750 | 750            | 0,199 |
| 28x8 805    | CVV0280080805 | 805            | 0,214 |
| 28x8 850    | CVV0280080850 | 850            | 0,226 |
| 28x8 900    | CVV0280080900 | 900            | 0,239 |
| 28x8 950    | CVV0280080950 | 950            | 0,252 |
| 28x8 1000   | CVV0280081000 | 1000           | 0,266 |
| 28x8 1060   | CVV0280081060 | 1060           | 0,282 |
| 28x8 1120   | CVV0280081120 | 1120           | 0,297 |
| 28x8 1180   | CVV0280081180 | 1180           | 0,313 |
| *28x8 1200  | CVV0280081200 | 1200           | 0,319 |
| 28x8 1250   | CVV0280081250 | 1250           | 0,332 |
| *28x8 1305  | CVV0280081305 | 1305           | 0,346 |
| 28x8 1320   | CVV0280081320 | 1320           | 0,351 |
| 28x8 1400   | CVV0280081400 | 1400           | 0,372 |
| *28x8 1450  | CVV0280081450 | 1450           | 0,385 |
| *28x8 1500  | CVV0280081500 | 1500           | 0,398 |
| 28x8 1605   | CVV0280081605 | 1605           | 0,426 |
| *28x8 1705  | CVV0280081705 | 1705           | 0,453 |
| 28x8 1805   | CVV0280081805 | 1805           | 0,479 |
| *28x8 1905  | CVV0280081905 | 1905           | 0,506 |
| *28x8 2005  | CVV0280082005 | 2005           | 0,532 |

| descrizione | codice        | sviluppo<br>mm | Kg.   |
|-------------|---------------|----------------|-------|
| *30x10 750  | CVV0300100750 | 750            | 0,256 |
| *30x10 800  | CVV0300100800 | 800            | 0,273 |
| 30x10 875   | CVV0300100875 | 875            | 0,299 |
| 30x10 900   | CVV0300100900 | 900            | 0,308 |
| *30x10 950  | CVV0300100950 | 950            | 0,327 |
| *30x10 1000 | CVV0300101000 | 1000           | 0,342 |
| 30x10 1120  | CVV0300101120 | 1120           | 0,383 |
| *30x10 1178 | CVV0300101178 | 1178           | 0,405 |
| 30x10 1200  | CVV0300101200 | 1200           | 0,413 |
| *30x10 1340 | CVV0300101340 | 1340           | 0,458 |
| *30x10 1433 | CVV0300101433 | 1433           | 0,493 |
| *30x10 1500 | CVV0300101500 | 1500           | 0,516 |
| *30x10 1600 | CVV0300101600 | 1600           | 0,547 |
| *30x10 1700 | CVV0300101700 | 1700           | 0,579 |
| *30x10 1800 | CVV0300101800 | 1800           | 0,620 |

| descrizione | codice        | sviluppo<br>mm | Kg.   |
|-------------|---------------|----------------|-------|
| *32x10 709  | CVV0320100709 | 709            | 0,261 |
| *32x10 724  | CVV0320100724 | 724            | 0,265 |
| 32x10 750   | CVV0320100750 | 750            | 0,275 |
| 32x10 790   | CVV0320100790 | 790            | 0,290 |
| 32x10 850   | CVV0320100850 | 850            | 0,312 |
| 32x10 900   | CVV0320100900 | 900            | 0,330 |
| 32x10 950   | CVV0320100950 | 950            | 0,348 |
| 32x10 1000  | CVV0320101000 | 1000           | 0,367 |
| *32x10 1073 | CVV0320101073 | 1073           | 0,393 |
| 32x10 1120  | CVV0320101120 | 1120           | 0,411 |
| *32x10 1180 | CVV0320101180 | 1180           | 0,433 |
| 32x10 1200  | CVV0320101200 | 1200           | 0,440 |
| *32x10 1250 | CVV0320101250 | 1250           | 0,458 |
| *32x10 1320 | CVV0320101320 | 1320           | 0,487 |
| *32x10 1353 | CVV0320101353 | 1353           | 0,496 |
| *32x10 1400 | CVV0320101400 | 1400           | 0,514 |
| *32x10 1500 | CVV0320101500 | 1500           | 0,550 |
| *32x10 1520 | CVV0320101520 | 1520           | 0,557 |
| *32x10 1553 | CVV0320101553 | 1553           | 0,569 |
| *32x10 1600 | CVV0320101600 | 1600           | 0,587 |
| *32x10 1652 | CVV0320101652 | 1652           | 0,606 |



# CINGHIE PER VARIATORI CONTI®V “VARISPEED” “VARISPEED” V-BELTS CONTI®V



| descrizione | codice        | sviluppo<br>mm | Kg.   |
|-------------|---------------|----------------|-------|
| 37x10 747   | CVV0370100747 | 747            | 0,320 |
| 37x10 800   | CVV0370100800 | 800            | 0,343 |
| 37x10 830   | CVV0370100830 | 830            | 0,356 |
| 37x10 850   | CVV0370100850 | 850            | 0,364 |
| 37x10 900   | CVV0370100900 | 900            | 0,386 |
| 37x10 950   | CVV0370100950 | 950            | 0,408 |
| 37x10 1000  | CVV0370101000 | 1000           | 0,429 |
| 37x10 1060  | CVV0370101060 | 1060           | 0,455 |
| 37x10 1120  | CVV0370101120 | 1120           | 0,480 |
| 37x10 1180  | CVV0370101180 | 1180           | 0,506 |
| 37x10 1250  | CVV0370101250 | 1250           | 0,537 |
| 37x10 1320  | CVV0370101320 | 1320           | 0,566 |
| 37x10 1400  | CVV0370101400 | 1400           | 0,601 |
| 37x10 1500  | CVV0370101500 | 1500           | 0,643 |
| 37x10 1600  | CVV0370101600 | 1600           | 0,687 |
| 37x10 1700  | CVV0370101700 | 1700           | 0,729 |
| 37x10 1810  | CVV0370101810 | 1810           | 0,777 |
| *37x10 1900 | CVV0370101900 | 1900           | 0,815 |
| 37x10 2000  | CVV0370102000 | 2000           | 0,858 |
| *37x10 2062 | CVV0370102062 | 2062           | 0,885 |
| *37x10 2117 | CVV0370102117 | 2117           | 0,908 |
| *37x10 2497 | CVV0370102497 | 2497           | 1,071 |

| descrizione | codice        | sviluppo<br>mm | Kg.   |
|-------------|---------------|----------------|-------|
| *42x12 1000 | CVV0420121000 | 1000           | 0,560 |
| 42x12 1064  | CVV0420121064 | 1064           | 0,596 |
| 42x12 1120  | CVV0420121120 | 1120           | 0,628 |
| *42x12 1194 | CVV0420121194 | 1194           | 0,669 |
| *42x12 1250 | CVV0420121250 | 1250           | 0,700 |
| *42x12 1344 | CVV0420121344 | 1344           | 0,753 |
| *42x12 1400 | CVV0420121400 | 1400           | 0,784 |
| *42x12 1440 | CVV0420121440 | 1440           | 0,809 |
| *42x12 1500 | CVV0420121500 | 1500           | 0,841 |
| *42x12 1544 | CVV0420121544 | 1544           | 0,865 |
| *42x12 1600 | CVV0420121600 | 1600           | 0,897 |
| *42x12 1700 | CVV0420121700 | 1700           | 0,953 |
| *42x12 1800 | CVV0420121800 | 1800           | 1,009 |
| *42x12 2000 | CVV0420122000 | 2000           | 1,121 |

| descrizione | codice        | sviluppo<br>mm | Kg.   |
|-------------|---------------|----------------|-------|
| 47x12 905   | CVV0470120905 | 905            | 0,572 |
| *47x12 1000 | CVV0470121000 | 1000           | 0,632 |
| *47x12 1035 | CVV0470121035 | 1035           | 0,655 |
| *47x12 1065 | CVV0470121065 | 1065           | 0,674 |
| *47x12 1125 | CVV0470121125 | 1125           | 0,711 |
| *47x12 1185 | CVV0470121185 | 1185           | 0,749 |
| *47x12 1255 | CVV0470121255 | 1255           | 0,793 |
| *47x12 1275 | CVV0470121275 | 1275           | 0,806 |
| 47x12 1325  | CVV0470121325 | 1325           | 0,838 |
| *47x12 1405 | CVV0470121405 | 1405           | 0,888 |
| *47x12 1440 | CVV0470121440 | 1440           | 0,910 |
| *47x12 1505 | CVV0470121505 | 1505           | 0,951 |
| *47x12 1605 | CVV0470121605 | 1605           | 1,015 |
| 47x12 1705  | CVV0470121705 | 1705           | 1,078 |
| *47x12 1745 | CVV0470121745 | 1745           | 1,104 |
| 47x12 1805  | CVV0470121805 | 1805           | 1,141 |
| *47x12 1905 | CVV0470121905 | 1905           | 1,204 |
| *47x12 2005 | CVV0470122005 | 2005           | 1,267 |
| *47x12 2125 | CVV0470122125 | 2125           | 1,344 |
| *47x12 2215 | CVV0470122215 | 2215           | 1,400 |
| 47x12 2245  | CVV0470122245 | 2245           | 1,420 |
| *47x12 2305 | CVV0470122305 | 2305           | 1,458 |
| 47x12 2505  | CVV0470122505 | 2505           | 1,584 |
| *47x12 2805 | CVV0470122805 | 2805           | 1,774 |

| descrizione | codice        | sviluppo<br>mm | Kg.   |
|-------------|---------------|----------------|-------|
| 52x16 1180  | CVV0520161180 | 1180           | 1,160 |
| *52x16 1250 | CVV0520161250 | 1250           | 1,229 |
| *52x16 1325 | CVV0520161325 | 1325           | 1,310 |
| *52x16 1400 | CVV0520161400 | 1400           | 1,378 |
| 52x16 1525  | CVV0520161525 | 1525           | 1,499 |
| *52x16 1600 | CVV0520161600 | 1600           | 1,581 |
| *52x16 1725 | CVV0520161725 | 1725           | 1,696 |
| *52x16 1925 | CVV0520161925 | 1925           | 1,892 |
| *52x16 2164 | CVV0520162164 | 2164           | 2,140 |
| *52x16 2240 | CVV0520162240 | 2240           | 2,202 |
| *52x16 2424 | CVV0520162424 | 2424           | 2,397 |
| *52x16 3074 | CVV0520163074 | 3074           | 3,039 |

| descrizione | codice        | sviluppo<br>mm | Kg.   |
|-------------|---------------|----------------|-------|
| 55x16 1180  | CVV0550161180 | 1180           | 1,240 |
| 55x16 1250  | CVV0550161250 | 1250           | 1,306 |
| 55x16 1320  | CVV0550161320 | 1320           | 1,379 |
| 55x16 1400  | CVV0550161400 | 1400           | 1,464 |
| *55x16 1600 | CVV0550161600 | 1600           | 1,672 |
| *55x16 1700 | CVV0550161700 | 1700           | 1,776 |
| *55x16 1800 | CVV0550161800 | 1800           | 1,879 |
| 55x16 2000  | CVV0550162000 | 2000           | 2,089 |
| *55x16 2240 | CVV0550162240 | 2240           | 2,340 |
| *55x16 2500 | CVV0550162500 | 2500           | 2,611 |
| *55x16 2800 | CVV0550162800 | 2800           | 2,942 |

| descrizione | codice        | sviluppo<br>mm | Kg.   |
|-------------|---------------|----------------|-------|
| *65x20 1506 | CVV0650201506 | 1506           | 2,191 |
| *65x20 1706 | CVV0650201706 | 1706           | 2,425 |
| *65x20 1906 | CVV0650201906 | 1906           | 2,710 |
| *65x20 2146 | CVV0650202146 | 2146           | 3,050 |
| *65x20 2406 | CVV0650202406 | 2406           | 3,420 |
| *65x20 2706 | CVV0650202706 | 2706           | 3,846 |
| *65x20 3056 | CVV0650203056 | 3056           | 4,345 |

| descrizione | codice        | sviluppo<br>mm | Kg.   |
|-------------|---------------|----------------|-------|
| *70x18 1400 | CVV0700181400 | 1400           | 2,046 |
| *70x18 1444 | CVV0700181444 | 1444           | 2,110 |
| *70x18 1500 | CVV0700181500 | 1500           | 2,192 |
| *70x18 1600 | CVV0700181600 | 1600           | 2,329 |
| *70x18 1700 | CVV0700181700 | 1700           | 2,473 |
| *70x18 1800 | CVV0700181800 | 1800           | 2,618 |
| *70x18 1900 | CVV0700181900 | 1900           | 2,777 |
| *70x18 2000 | CVV0700182000 | 2000           | 2,909 |
| 70x18 2240  | CVV0700182240 | 2240           | 3,258 |
| 70x18 2500  | CVV0700182500 | 2500           | 3,654 |
| *70x18 2800 | CVV0700182800 | 2800           | 4,073 |
| 70x18 3147  | CVV0700183147 | 3147           | 4,600 |

| descrizione | codice        | sviluppo<br>mm | Kg.   |
|-------------|---------------|----------------|-------|
| *83x23 1691 | CVV0830231691 | 1691           | 3,467 |
| *83x23 1755 | CVV0830231755 | 1755           | 3,598 |
| *83x23 1891 | CVV0830231891 | 1891           | 3,877 |
| *83x23 2110 | CVV0830232110 | 2110           | 4,326 |
| *83x23 2131 | CVV0830232131 | 2131           | 4,937 |
| *83x23 2691 | CVV0830232691 | 2691           | 5,517 |
| *83x23 3041 | CVV0830233041 | 3041           | 6,234 |